Ref. No. BIRD.LKO/ DPSP/ 09 /S-3/2022-23संदर्भ सं बर्ड.लख / डीपीएसपी / 09 / एस-3 / 2022-23
14th November 2022
14 नवम्बर 2022

Name and Address of the Vendor वेंडर / फर्म का नाम और पता

Dear Sir, महोदय,

Purchase of Electrical items – Rate Contract इलैक्ट्रिकल सामग्री की खरीद के सम्बन्ध में – दर अनुबन्ध

We intend to purchase electrical items. Sealed quotations are invited for purchase of electrical items as per the enclosed specifications and Terms and Conditions. The last date for submission of quotation is 05th December 2022 at 14.00 Hrs. The quotation will be opened on same day at 15.00 Hrs. in presence of suppliers who choose to remain present.

बैंकर ग्रामीण विकास संस्थान (बर्ड), लखनऊ विनिर्देशों और नियमों और शर्तों के अनुसार इलैक्ट्रिकल सामग्री की खरीद के लिए मुहरबंद निविदा आमंत्रित करता है। कोटेशन 05 दिसम्बर 2022 14:00 बजे से पहले जमा किये जाने चाहिये। कोटेशन 05 दिसम्बर 2022 को 15:00 बजे इच्छुक निविदादाताओं की उपस्थिति में खोले जाएगें।

भवदीय,

ह / – (राकेश कुमार) प्रशासनिक अधिकारी

संलग्नक उपरोक्तानुसार

Quotation for Purchase of Electrical items on rate contract basis.

Terms and conditions:

- 01 After receipt of the sealed quotations and processing all the quotations, you will be informed for supply of the goods, if found eligible and if selected.
- 02 If there is any increase in the GST of electrical items than that has to be bring to the notice of BIRD Lucknow.
- o3 The rates shall be clearly mentioned including all applicable taxes including GST rates etc.
- 04 Each electrical items quoted should have a warranty period of 01 year.
- o5 Supply of goods/material shall be agains the written orders from our institute.
- of The material supplied will be of approved make with ISI mark (wherever applicable).
- 07 All payments will be made through RTGS/NEFT, after supply of material in good condition and submission of the bills thereof.
- o8 Delivery of items will be made at our offices premises, without any additional charges.
- 09 The quotations in a sealed envelope should be addressed to Director, BIRD, Sector-H LDA Colony, Kanpur Road, Lucknow-226012, so as to reach **on or before 14:00 Hours on o5th December 2022**. The envelopes should be super scribed as "Quotation for Purchase of Electrical items". The quotation will be opened on same day at 15.30 Hrs in presence of suppliers who choose to remain present.
- 10 The Eligible/ successful bidder/supplier will have to supply the items within 15 days from the date of issue of letter/order by BIRD.
- 11 Tender/ quotation must be signed on each page.
- 12 The rates quoted by the agency shall be valid for One year from the date of opening of price bid.
- 13 Purchase will be made from agency quoting lowest rate of individual item.
- 14 The contractor should not be blacklisted by any Govt. Agency/ Undertaking or Public Authority in last Five years.(undertaking to be submitted by agency)
- 15 Contractor are requested to seek clarification if any before submission of quotation.
- 16 BIRD at its own discretion may reject any or all the tender or abandon tendering process. No compensation shall be given on this account.
- 17 In case of any dispute, the decision of Director, BIRD will be final. BIRD/ contractor agree to settle dispute through Arbitration as per Arbitration & Reconciliation Act (Latest amendment).
- 18 In case of non-availability of items with agency quoting lowest rates, the order will be given to next agency at lowest approved rates.

| be given to next agency at | lowest approved | rates. | |
|-----------------------------------|-----------------|--------|--|
| Signature of contractor with stam | np | | |

| Dl | ace | ٠. |
|----|-----|----|
| ΤТ | acc | • |

Date:

Bankers Institute of Rural Development Estimated work for financial year 2022-23 are less than Rs.5.00 lakhs Rate Contract of Electricals items

| S. No. | Particular s | Make | Basic rate (INR) (A) | % Discount offered on Basic rate excluding GST (INR) (B) | Appli cable GST % (INR) (C) | Net rate including GST-Discount (INR) D=(A-B+C) |
|-----------|--|--|-------------------------------|--|--|---|
| 1 | LED Tube - 18 Watt | Syska /Havells/Anchor /Polycab/Wipro | | | | |
| 2 | LED Bulb 7 Watt | Syska /Havells/Anchor /Polycab/Wipro | | | | |
| 3 | LED Bulb 14 Watt | Syska /Havells/Anchor /Polycab/Wipro | | | | |
| 4 | LED Bulb 0.15 Watt | Syska /Havells/Anchor /Polycab/Wipro | | | | |
| 5 | Electronic Fan Regulator – Step Type | Havells/Anchor | | | | |
| 7 | Button Holder | Anchor | | | | |
| 8 | Tube for Mosquito Catcher Machine | Anchor | | | | |
| 9 | 6 Amp. Switch | Anchor/MK/ Havells /Syska | | | | |
| 10 | 16 Amp. Switch | Anchor/MK/ Havells /Syska | | | | |
| 11 | 6 Amp. Two way Switch | Anchor/MK/ Havells /Syska | | | | |
| 12 | 16/6 Switch & Socket Combine | Anchor/MK/ Havells /Syska | | | | |
| 13 | 6 Amp. Socket | Anchor/MK/ Havells /Syska | | | | |
| 14 | 16 Amp. Socket | Anchor/MK/ Havells /Syska | | | | |

| 15 | | A I / N // TZ / | | |
|----|---------------|------------------|--|--|
| | 6 Amp. | Anchor/MK/ | | |
| | Socket | Havells /Syska | | |
| | 6 Amp. Plug | Anchor/MK/ | | |
| | Top | Havells /Syska | | |
| | 16 Amp. | Anchor/MK/Hav | | |
| | Plug Top | ells /Syska | | |
| | 2.5 MFD | Anchor/Havells/I | | |
| | Condenser | PCOS | | |
| | Call Bell - | Anchor | | |
| | Ding Dong | | | |
| 20 | Bell Push - | Anchor | | |
| | Switch Type | | | |
| 21 | Electronic | Sphere | | |
| | Meter AC | | | |
| | Single Phase | | | |
| | 40 to 60 | | | |
| | Amp. | | | |
| | DP Isolator - | Anchor/ Havells | | |
| | 63 Amp 2 | | | |
| | Pole | | | |
| 0 | DP Isolator - | Anchor/ Havells | | |
| | 63 Amp 4 | | | |
| | Pole | | | |
| | DP Isolator - | Anchor/ Havells | | |
| | 100 Amp | | | |
| | 4 Pole | | | |
| | 35 Amp. | Anchor/ Havells | | |
| - | MCB | | | |
| | 32 Amp. | Anchor/ Havells | | |
| - | MCB | | | |
| | 25 Amp. | Anchor/ Havells | | |
| | MCB | | | |
| | 20 Amp. | Anchor/ Havells | | |
| - | MCB | | | |
| _ | AC Box | Anchor/ Havells | | |
| | Heating | Sphere / DAS | | |
| | Element - | PAS | | |
| | 2000 watt | | | |
| | for 25 Lts. | | | |
| | Geyser | 0.1 /5.0 | | |
| | Heating | Sphere / DAS | | |
| | Element - | PAS | | |
| 1 | 3000 watt | | | |
| | for Instant | | | |
| 1 | Geyser | 0.1 /5.0 | | |
| _ | Thermostat | Sphere / DAS | | |
| | for Geyser | PAS | | |
| | 11" Long | 0.1 /= : = | | |
| 00 | Thermostat | Sphere / DAS | | |
| | for Geyser 7" | PAS | | |
| | Long | | | |

| 0.4 | Thermo | HCHA Lowns | | |
|------|---------------|------------------|--|--|
| 34 | | USHA, Lexus | | |
| | Auto cut | 0.1 / DAG | | |
| 35 | Safety Valve | Sphere / DAS | | |
| | for Geyser | PAS | | |
| 36 | Safety Fuse | Sphere / DAS | | |
| | for Geyser | PAS | | |
| 37 | Checkout | Anchor | | |
| 38 | Dome for | RR/Havells/Anch | | |
| | Garden | or/ Polycab | | |
| | Light | | | |
| | Diamond | | | |
| | Shape | | | |
| 39 | 4 mm PVC | RR/Havells/Anch | | |
| | Insulated | or/ Polycab | | |
| | copper wire | , , | | |
| 40 | 2.5 mm PVC | RR/Havells/Anch | | |
| - | Insulated | or/ Polycab | | |
| | copper wire | J 7 2 3 2 2 2 2 | | |
| 41 | 1.5 mm PVC | RR/Havells/Anch | | |
| 7- | Insulated | or/ Polycab | | |
| | copper wire | ory roly cas | | |
| 42 | 1 mm PVC | RR/Havells/Anch | | |
| 7- | Insulated | or/ Polycab | | |
| | copper wire | ory rory cub | | |
| 43 | 0.75 mm | RR/Havells/ | | |
| 43 | PVC | Anchor/ Polycab | | |
| | Insulated | michor/ roryeab | | |
| | copper wire | | | |
| 44 | FR flexible - | RR/Havells/ | | |
| 44 | two core | Anchor/Polycab | | |
| | (ISI) | 7 menor/1 orycub | | |
| 45 | 6 mm PVC | RR/Havells/ | | |
| 45 | Insulated | Anchor/Polycab | | |
| | copper wire | Anchor/Torycab | | |
| 16 | Telephone | RR/ Anchor | | |
| 46 | wire two | KK/ AllCliot | | |
| | core | | | |
| 4.77 | Indicator | RR/ Anchor | | |
| 47 | bulb for | KK/ AllCliot | | |
| | | | | |
| 40 | Geyser | DD / Amalaan | | |
| 48 | Call bell | RR/ Anchor | | |
| 40 | with Reset | DD / A al- a | | |
| 49 | Casing - | RR/ Anchor | | |
| | Capping - | | | |
| | 20mm | DD / A 1 | | |
| 50 | Casing - | RR/ Anchor | | |
| | Capping - | | | |
| | 25mm | 4 1 /** ** | | |
| 51 | Power Strip | Anchor/Havells | | |
| | with four | | | |
| | point | | | |

| 50 | 16/6 | Anchor/Havells | | | | |
|-----------|--------------|------------------|---|---|---|--|
| 52 | combine | Alichor/ navelis | | | | |
| | | | | | | |
| _ | with Box | A 1 /TT 11 | | | | |
| 53 | Gang box | Anchor/Havells | | | | |
| | Two Socket | | | | | |
| | +2 switch | A 1 /TT 11 | | | | |
| 54 | Gang box | Anchor/Havells | | | | |
| | One Socket | | | | | |
| | +1 switch | . 1 / 11 | | | | |
| 55 | Gang box | Anchor/Havells | | | | |
| | Three | | | | | |
| | Socket +3 | | | | | |
| | switch | | | | | |
| 56 | 40/76 PVC | RR/Polycab/Anc | | | | |
| | Insulated 2 | hor/ Havells | | | | |
| | core Cable | | | | | |
| 57 | 16mm PVC | RR/Polycab/Anc | | | | |
| | Insulated | hor/ Havells | | | | |
| | copper wire | | | | | |
| 58 | Plug Top for | RR/Polycab/Anc | | | | |
| | AC Box | hor /Havells | | | | |
| 59 | Plug Socket | RR/Polycab/Anc | | | | |
| | for AC Box | hor/ Havells | | | | |
| 60 | LED Tube | Wipro/Havells/A | | | | |
| | Batton | nchor/Havells | | | | |
| | Fitting - 18 | | | | | |
| | watt | | | | | |
| 61 | Regulator | Wipro/Havells/A | | | | |
| | _ | nchor/Havells | | | | |
| 62 | Batton | Wipro/Havells/A | | | | |
| | Fitting 12 | nchor/Havells | | | | |
| | watt | , | | | | |
| 63 | HRC Fuse – | L&T/Havells | | | | |
| | 20 watt | , | | | | |
| 64 | HRC Fuse – | L&T/Havells | | | | |
| | 63 Amp | , | | | | |
| 65 | HRC Fuse – | L&T/Havells | | | | |
| | 100 Amp | , | | | | |
| 66 | HRC Fuse – | L&T/Havells | | | | |
| | 250 Amp | , | | | | |
| 67 | HRC Fuse – | L&T/Havells | | | | |
| | 200 Amp | , | | | | |
| 68 | Fresh Fan | Syska/Havells/ | | | | |
| | (150 mm) | Crompton | | | | |
| 69 | Exhaust Fan | - | | | | |
| | (12 inch – | Syska/Havells/ | | | | |
| | 300 mm) | Crompton | | | | |
| 70 | LED Flood | 0 1 /77 11 / | | | | |
| ' | Light – 100 | Syska/Havells/ | | | | |
| | watt | Wipro | | | | |
| L | 1 | I | i | ı | İ | |

| 71 | Street Light – 80 watt | Syska/Havells/ | | |
|----|-----------------------------------|-------------------------|--|--|
| 70 | | Wipro | | |
| 72 | Street Light –50 watt | Syska/Havells/ Wipro | | |
| 73 | LED Surface Light – 12 watt | Syska/Havells/ Wipro | | |
| 74 | LED Surface Light – 18 watt | Syska/Havells/ Wipro | | |
| 75 | HRC Fuse - 400 AMP | L & T | | |
| 76 | Element for Venus Geyser | Venus Make | | |
| 77 | Thermostat | Venus Make | | |

The rates will be valid for a period for 01 years

Tentative quantity of items required is indicated. However, ordered quantity may increase/decrease depending upon requirement. Further quantities of item may be ordered in different lots. This is a rate contract render, therefore lowest of each item shall be taken for placing order.

| Signature:- |
|----------------|
| Date:- |
| Seal: |
| Address:- |
| Mobile/Phone:- |